

## ALCOHOL AND DRUG ABUSE DIVISION State of Hawaii Department of Health

## Ka Leo O Na Keiki

# The 2000 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study

# Adolescent Prevention and Treatment Needs Assessment

Korean Students



Prepared for the State of Hawaii Department of Health, Alcohol and Drug Abuse Division, 601 Kamokila Boulevard, Room 360, Kapolei, Hawaii 96707 by Dr. Renee Klingle, University of Hawaii at Manoa, Phone (808) 956-8911. The project was supported by a grant from the Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Contract No. 277-98-6019.

#### INTRODUCTION

## The 2000 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study

This report summarizes findings from the 2000 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study that was conducted in the Spring of 2000. The purpose of this project was to assess adolescent substance use and related behaviors and to examine risk and protective factors that predict those behaviors among Hawaii students in grades 6, 8, 10, and 12. The survey was administered anonymously to a total of 23,170 public school students and 4,347 private school students in 237 schools across the state. Participation required active parental consent and was voluntary. Student responses were screened for honesty before analysis, resulting in the removal of approximately 6% of the subjects surveyed. This report presents a brief summary of the results for all of the Korean students who participated in the study (6th Graders=181; 8th Graders=127; 10th Graders=110; 12th Graders=97) and for all participants statewide (6th Graders=9,375; 8th Graders=7,249; 10th Graders=5,130; 12th Graders=4,106).

Survey data on risk and protective factors can help focus prevention efforts.

The project was a cooperative effort of the Hawaii State Department of Health, Alcohol and Drug Abuse Division and researchers at the Social Science Research Institute and the Department of Speech at the University of Hawaii at Manoa. Funding for this survey was provided by the Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Contract No. 277-98-6019.

#### What is the Risk and Protective Factor Framework?

Risk factors are characteristics of school, community, and family environments, as well as characteristics of students and their peer groups, that are known to predict increased likelihood of drug use, delinquency, and violent behaviors among youths (Brewer, Hawkins, Catalano, & Neckerman, 1995; Hawkins, Arthur, & Catalano, 1995; Hawkins, Catalano, & Miller, 1992; Lipsey & Derzon, 1998). For example, researchers have found that children who live in disorganized, crime-ridden neighborhoods are more likely than children who live in safe neighborhoods to become involved in drug use and crime.

Protective factors exert a positive influence or buffer against the negative influence of risk, thus reducing the likelihood that adolescents will engage in problem behaviors. Protective factors identified through research reviewed by Drs. Hawkins and Catalano include social bonding to family, school, community and peers; healthy beliefs and clear standards for behavior; and individual characteristics. For bonding to serve as a protective influence, it must occur through involvement with peers and adults who communicate healthy values and set clear standards for behavior.

Research on risk and protective factors has important implications for prevention efforts. The premise of this approach is that, in order to promote positive youth development and prevent problem behaviors, it is necessary to address those factors that predict the problem behaviors. By measuring risk and protective factors in a population, prevention programs can be implemented that will reduce elevated risk factors and increase protective factors. For example, if perceived availability of substances is identified as an elevated risk factor in a community, then law enforcement personnel need to intercede and more stringently enforce the laws regarding tobacco and alcohol sales in that community, and neighborhood members and school personnel must develop policies to help prevent the sale of illegal substances in their neighborhood.

## What are the Problem Behaviors of Interest?

The survey assessed information about alcohol, tobacco, and other drug use (referred to as ATOD use throughout this report), substance abuse, and other problem behaviors of students. The following problem behaviors were assessed by the survey and are described on the following page: Lifetime ATOD Use, Monthly (30-Day) ATOD Use, Daily Use, Substance Abuse or Treatment Needs, and Antisocial Behaviors (referred to as ASB throughout this report).

#### HOW TO READ THE CHARTS AND TABLES

There are four types of charts presented in this report: (1) lifetime and 30-day substance use charts, (2) heavy substance use and antisocial behavior charts, (3) risk factor charts, and (4) protective factor charts. All of the charts show the results of the study at the state level compared to the results for Korean students. More detailed results are provided in the tabled data at the end of the report. Statewide and ethnic group data are presented in table form at each grade level participating in the survey. There are six sets of tabled data: (1) characteristics of the students, (2) substance use, (3) treatment needs, (4) antisocial behaviors, (5) risk factors, and (6) protective factors.

All of the charts and tables present the percentage of students in each category. The beginning of this report indicates the number of Korean students participating in the survey. You must keep the number of students in mind when interpreting the survey results. Small sample sizes can make percentage data misleading and estimates less stable. For instance, if there were 1,000 Korean students participating in the survey and the results showed that 1% of the students were using marijuana on a daily basis, this would mean that 10 students reported daily marijuana use. However, if there were only 100 Korean students participating in the survey and the results showed that 1% of the students were using marijuana on a daily basis, this would mean that only one student reported daily marijuana use.

### ATOD Use, Substance Abuse, and Antisocial Behavior (ASB)

The charts and tables present information about alcohol, tobacco, and other drug use (ATOD use), substance abuse or treatment needs, and antisocial behaviors of students. The bars in each chart represent the percentage of Korean students in that grade who reported the behavior. **Dots** are used on the charts to represent the percentage of students statewide who reported that behavior. The tabled data represent the percentage of students in that grade statewide and the percentage of Korean students who reported the behavior.

- **Lifetime ATOD Use** is a measure of the percentage of students who tried a particular substance at least once in their lifetimes and is used to show the level of experimentation with a particular substance.
- Monthly (30-Day) ATOD Use is a measure of the percentage of students who used the substance at least once in the 30 days prior to taking the survey and is a more sensitive indication of current substance use.
- **Daily ATOD Use** is a measure of the percentage of students who used the substance on 20 or more occasions in the 30 days prior to taking the survey.
- Substance Abuse (Treatment Needs) is a measure of the percentage of students who are dependent on or seriously abusing alcohol, marijuana, stimulants, depressants or downers, and/or hallucinogens, according to DSM-III-R criteria. Substance abuse is indicated by at least one of the following: (1) continued use of the substance despite knowledge of having a persistent or recurrent problem(s) at school, home, work, or with friends because of the substance (e.g., lower grades, fight with parents/friends, have problems concentrating, or physical problems); and (2) substance use in situations in which use is physically hazardous (e.g., drinking or using drugs when involved in activities that could have increased the student's chance of getting hurt – for instance, using a knife, swimming, or driving a vehicle). For the student to be classified as abusing a substance, at least one of the two abuse symptoms must have occurred more than once in a single month or several times within the last year. In addition, the student must not meet the criteria for dependency on that substance, which is the most severe diagnosis. Substance dependency is indicated by the student's responses to nine different diagnostic criteria for dependency (e.g., marked tolerance, withdrawal symptoms, use of substances to relieve/avoid withdrawal symptoms, persistent desire or effort to stop use, using more than intended, neglect of activities, great deal of time spent using/obtaining the substance, inability to fulfill roles, drinking despite problems). A student is considered dependent on a substance if he/she has marked "yes" to at least three DSM-III-R symptoms and for at least two of the symptoms, he/she indicated that it occurred several times.
- Antisocial Behavior (ASB) is a measure of the percentage of students who report any involvement with various antisocial behaviors in the past year.

#### Risk and Protective Factors

In order to make the results of the survey most useable, risk and protective profiles were developed that show the percentage of youths at risk and the percentage of youths with protection on each scale. The profiles allow a comparison between Korean students and students statewide. The profiles developed in 2000 will also allow you to compare ethnic group results in 2000 to future survey results to determine if various prevention efforts are positively impacting factors associated with substance use.

Before the percentage of youths at risk on a given scale could be calculated, a scale value, or cutpoint, needed to be determined that would separate the at-risk group from the not-at-risk group. The cutpoints were determined by using a standardized cutpoint formula on the statewide data set for each risk and protective scale at each grade level. The formula was established by the Social Development Research Group from the University of Washington by analyzing over 200,000 student surveys from several states across multiple years. The method utilized by the research group involved determining for each risk and protective factor scale the cutpoint score that best separated the at-risk group from the not-at-risk group. The criteria for selecting the more at-risk and the less at-risk groups included academic grades (the more at-risk group received "D" and "F" grades, the less at-risk group received "A" and "B" grades), ATOD use (the more at-risk group had more regular use; the less at-risk group had no drug use and only used alcohol or tobacco on a few occasions), and antisocial behavior (the more at-risk group had two or more serious delinquent acts in the past year, the less at-risk group had no serious delinquent acts). These cutpoints will remain constant and will be used to produce the profiles for future surveys. Since the cutpoints for each scale will remain fixed, the percentage of youths above the cutpoint on a scale (at-risk) will provide a method for evaluating the progress of prevention programs in various communities over time.

The charts and tables group risk and protective factors into four domains: community, family, school, and peer-individual. There is a separate chart for each grade that shows the percentage of Korean students who are at risk for youth problem behaviors on each of the risk scales. There are also charts that show the percentage of Korean students in each grade who have protection on each of the protective scales. The tables present the exact percentages of Korean students who reported 'elevated risk' or 'elevated protection' on the various scales.

In the charts, the bars represent the percentage of Korean students in the particular grade who indicated 'elevated risk' or 'elevated protection' on the 2000 survey. The **dots** on the charts represent the percentage of Hawaii youths statewide who reported 'elevated risk' or 'elevated protection' on the 2000 survey. The comparison to the statewide data provides additional information in determining the relative importance of each risk or protective factor level. Scanning across the charts, you can easily determine which factors are most (or least) prevalent in your ethnic group. This is the first step in identifying the levels of risk and protection that are operating in your ethnic group and which factors your ethnic group may choose to address.

A number of scholars have argued that substance use and antisocial behaviors are not influenced by any one single risk or protective factor. Rather, scholars over the years have argued that it is the accumulation of multiple risk factors and multiple protective factors that impacts substance use and antisocial behaviors. Risk and protective factor indexes were created by adding up the number of factors to which the individual is exposed. The percentages of students who have various numbers of risk and protective factors are presented in the tables under risk and protective factors.

Brief definitions of the risk and protective factors are provided on the next page. For more information about risk and protective factors and programs designed to impact various factors, please refer to the resources listed on the last page of this report under Contacts for Preventions.

## RISK AND PROTECTIVE FACTOR DEFINITIONS


		Risk Factors						
	Low Neighborhood Attachment	Defined as a lack of connection to the community. Low levels of bonding to the neighborhood are related to higher levels of juvenile crime and drug selling.						
	Community Disorganization	Defined as the prevalence of crime, violence, and delinquency in the neighborhood. Research has shown that neighborhoods with high population density, lack of public surveillance, physical deterioration, and high rates of adult crime also have higher rates of juvenile crime and drug selling.						
	Transition & Mobility	Defined as the amount of movement from one community or school to another. Neighborhoods with high rates of residential mobility have been shown to have higher rates of juvenile crime and drug selling, and children who experience frequent residential moves and stressful life transitions have been shown to have higher risk for school failure, delinquency, and drug use.						
Domain	Exposure to Community ATOD Use	Defined as frequent exposure to ATOD use by people in one's neighborhood or school. Frequent exposure to ATOD use influences normative beliefs and understanding of how to engage in the behavior and, thus, increases likelihood of ATOD use.						
Community Do	Laws & Norms Favorable to Drug Use	Defined as the attitudes and policies a community holds about drug use and crime. Research has shown that legal restrictions on alcohol and tobacco use, such as raising the legal drinking age, restricting smoking in public places, and increasing taxation, have been followed by decreases in consumption. Moreover, national surveys of high school seniors have shown that shifts in normative attitudes toward drug use have preceded changes in prevalence or use.						
Comr	Perceived Availability of Drugs & Handguns	Defined as the perceived ease in obtaining drugs and firearms for adolescents. The availability of cigarettes, alcohol, marijuana, and other illegal drugs has been related to the use of these substances by adolescents. Availability of handguns is also related to a higher risk of crime by adolescents.						
	Ability to Purchase Alcohol or Tobacco  Defined as whether or not a student has been able to purchase alcohol and/or tobacco from a store employee, a bar, or a restaurant. Corresponding with perceived availability, opportunities to purchase alcohol and tobacco have been related to use of these substances by adolescents.							
		Protective Factors						
	Community Opportunities for Positive Involvement  Defined as opportunities to engage in prosocial activities in the community such as sports or adult-supervised clubs. When opportunities are available in a community for positive participation, children are less likely to en in substance use and other problem behaviors.							
	Community Rewards for Positive Involvement	Defined as community encouragement for adolescents engaging in positive activities. Rewards for positive participation in activities help children bond to the community, thus lowering their risk for substance use.						
		Risk Factors						
	Poor Family Supervision  Defined as a lack of clear expectations for behavior and a failure of parents to monitor their failure to provide clear expectations and to monitor their children's behavior makes it more li will engage in drug use whether or not there are family drug problems.							
	Family Conflict	Defined as the degree to which family members fight or argue. Children raised in families high in conflict, whether or not the child is directly involved in the conflict, appear at risk for both delinquency and drug use.						
	Lack of Parental Sanctions for ATOD Use	Defined as a low probability that parents will sanction their children for ATOD use. Parents' failure to clearly communicate to their children that they would be in trouble if they were caught using alcohol, tobacco, or other drugs places children at higher risk for substance use.						
main	Parental Attitudes Favorable Toward ATOD Use	Defined as parental attitudes approving of young people's ATOD use. In families where parents are tolerant of children's use, children are more likely to become drug abusers during adolescence.						
Family Dom	Exposure to Family ATOD Use	Defined as a high degree of exposure to parents' ATOD use. In families where parents use illegal drugs or are heavy users of alcohol, children are more likely to become drug abusers during adolescence. The risk is further increased if parents involve children in their own substance-using behavior (for example, asking the child to light the parent's cigarette or to get the parent a beer from the refrigerator).						
Fam	Parental Attitudes Favorable Toward ASB	Defined as parental attitudes excusing children for breaking the laws. In families where parents are tolerant of antisocial behavior, children are more likely to engage in antisocial behavior.						
	Family (Sibling) History of ASB	Defined as a high ASB prevalence among brothers and sisters. When children are raised in a family with a history of problem behaviors, the children are more likely to engage in these behaviors.						
		Protective Factors						
	Family Attachment	Defined as feeling connected to and loved by one's family. Young people who feel that they are a valued part of their family are less likely to engage in substance use and other problem behaviors.						
	Family Opportunities for Positive Involvement							
	Family Rewards for Positive Involvement	Defined as positive experiences with parental figures. When family members praise, encourage, and attend to their children's accomplishments, children are less likely to engage in substance use and ASB.						


(Table continued on next page)

## RISK AND PROTECTIVE FACTOR DEFINITIONS (continued)


		Risk Factors
ار	Low School Commitment	Defined as the student's inability to see the role of a student as a viable one. Factors such as disliking school and perceiving the course work as irrelevant are positively related to drug use.
mair	Poor Academic Performance	Defined as poor performance in school. Beginning in the late elementary grades (grades 4-6), academic failure increases the risk of drug abuse and delinquency.
Do		Protective Factors
School Domain	School Opportunities for Positive Involvement	Defined as opportunities to become involved in school activities. When young people are given more opportunities to participate meaningfully in important activities at school, they are less likely to engage in drug use or problem behaviors.
0,	School Rewards for Positive Involvement	Defined as positive feedback by school personnel for student achievement. When young people are recognized and rewarded for their contributions at school, they are less likely to be involved in substance use and other problem behaviors.
		Risk Factors
	Early Initiation of Problem Behaviors	Defined as early substance use or early onset of problem behaviors. The earlier the onset of any drug use, the greater the involvement in other drug use. Onset of drug use prior to the age of 15 is a consistent predictor of drug abuse; later age of onset of drug use has been shown to predict lower drug involvement and a greater probability of discontinuation of use.
	Favorable Attitudes Toward ATOD Use	Defined as perceptions that it is not wrong for young people to engage in ATOD use. Initiation of use of any substance is preceded by values favorable to its use. During the elementary school years, most children express anti-drug, anti-crime, and prosocial attitudes and have difficulty imagining why people use drugs. However, in middle school, as more youths are exposed to others who use drugs, their attitudes often shift toward greater acceptance of these behaviors. Youths who express positive attitudes toward drug use are at higher risk for subsequent drug use.
	Low Perceived Risk of ATOD Use	Defined as perceived harmfulness associated with ATOD use. Young people who do not perceive drug use to be risky are far more likely to engage in drug use.
	Antisocial Behaviors (ASBs)	Defined as engaging in problem behaviors such as violence and delinquency.
in	Favorable Attitudes Toward ASB	Defined as a student's acceptance of drug use, criminal activity, violent behavior, or ignorance of rules. Young people who accept or condone antisocial behavior are more likely to engage in a variety of problem behaviors, including drug use.
Peer-Individual Domain	Friends' ATOD Use	Defined as having several close friends who engage in ATOD use. Peer drug use has consistently been found to be among the strongest predictors of substance use among youths – even when young people come from well-managed families and do not experience other risk factors.
dual	Interaction with Antisocial Peers	Defined as having several close friends who engage in problem behaviors. Young people who associate with peers who engage in problem behaviors are at higher risk for engaging in antisocial behavior themselves.
idivi	Rewards for Antisocial Involvement	Defined as having friends who approve of ATOD use and who are ignorant of laws and rules. Young people who receive rewards for their ASB are at higher risk for engaging further in ASB and ATOD use.
eer-Ir	Rebelliousness	Defined as not being bound by rules and taking an active rebellious stance toward society. Young people who do not feel like part of society, are not bound by rules, do not believe in trying to be successful or responsible, or who take an active rebellious stance toward society, are at higher risk of abusing drugs.
д	Sensation Seeking	Defined as having a high need for sensation or arousal experiences. Young people with a high need for arousal are at higher risk for participating in ATOD use and other problem behaviors.
	Gang Involvement	Defined as the degree of involvement in gangs or with gang members. Gang involvement often increases youth exposure to ATOD use and ASB, which puts them at greater risk for engaging in similar behaviors.
	Depression	Defined as signs of depression or lack of self-worth. Lack of self-worth is often associated with ATOD use.
		Protective Factors
	Peer Disapproval of ATOD Use	Defined as a student's perceptions that his or her close friends would disapprove of him or her using substances. Peer pressure is a strong factor influencing adolescent behavior, and peer pressure not to use alcohol, tobacco, and other drugs is a very powerful deterrence.
	Religiosity	Defined as perceiving oneself to be religious and enjoying religious activities. Young people who regularly attend religious services are less likely to engage in problem behaviors.
	Belief in the Moral Order	Defined as beliefs that one is bound by societal rules. Young people who have a belief in what is "right" and "wrong" are less likely to use drugs.
	Educational Aspirations	Defined as aspirations for continuing on to and graduating from college. National surveys of high school seniors have shown that ATOD use is significantly lower among students who expect to attend and graduate from college than among those who do not.

# Korean Students versus Statewide, 6th grade Substance Use and Antisocial Behavior







# Korean Students versus Statewide, 6th grade Protective Factors




## Risk Factors




# Korean Students versus Statewide, 8th grade Substance Use and Antisocial Behavior







## Korean Students versus Statewide, 8th grade Protective Factors




## Risk Factors




# Korean Students versus Statewide, 10th grade Substance Use and Antisocial Behavior







# Korean Students versus Statewide, 10th grade Protective Factors




## Risk Factors




# Korean Students versus Statewide, 12th grade Substance Use and Antisocial Behavior






## Korean Students versus Statewide, 12th grade Protective Factors



## Risk Factors



## **KOREAN STUDENT RESULTS**

## Characteristics of the Students Participating in the Survey

Reported below are the descriptive characteristics of the students participating statewide (Statewide=State) and from students participating in the survey who indicated they were Korean. Only students who have parental consent and who volunteered to participate were included in the study. Thus, some at-risk students may not be represented in the results. The information below should help you assess whether the results from this study may be under-representing students at risk in your community.

			<u>Grade</u> Korean	8th G State K		10th G State k			<u>Grade</u> Korean
1	Gender								
••	Male	47.3%	49.4%	44.4%	47.2%	42.4%	34.6%	43.7%	37.1%
	Female	52.7%	50.6%	55.6%	52.8%	57.6%	65.4%	56.3%	62.9%
2.	Age								
	10 years or younger	0.3%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	11 years	70.3%	65.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	12 years	28.1%	31.1%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	13 years	1.2%	2.8%	66.7%	65.0%	0.0%	0.0%	0.0%	0.0%
	14 years	0.1%	0.0%	31.1%	32.5%	0.6%	0.9%	0.0%	0.0%
	15 years	0.0%	0.0%	1.7%	2.4%	64.8%	57.3%	0.0%	0.0%
	16 years	0.0%	0.0%	0.0%	0.0%	31.8%	39.1%	1.4%	2.1%
	17 years	0.0%	0.0%	0.0%	0.0%	2.6%	2.7%	68.7%	66.0%
	18 years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	28.4%	29.9%
	19 years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	2.1%
	20 years or older	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
3.	Race								
	Asian	59.2%	100.0%	62.1%	100.0%	63.6%	100.0%	63.0%	100.0%
	White	14.2%	0.0%	13.5%	0.0%	15.0%	0.0%	14.9%	0.0%
	Black	1.8%	0.0%	1.7%	0.0%	1.1%	0.0%	1.0%	0.0%
	Hispanic	1.5%	0.0%	2.0%	0.0%	1.7%	0.0%	1.5%	0.0%
	Pacific Islander	19.3%	0.0%	17.4%	0.0%	15.2%	0.0%	16.4%	0.0%
	Indian/Alaskan	0.6%	0.0%	0.3%	0.0%	0.3%	0.0%	0.2%	0.0%
	Multiracial	3.3%	0.0%	3.1%	0.0%	3.1%	0.0%	2.9%	0.0%
4.	Ethnic Background (Students could choose more than	one ans	wer so the	percentage	s will not a	dd to 100%	6)		
	Japanese	23.6%	0.0%	24.7%	0.0%	25.9%	0.0%	26.3%	0.0%
	White	19.6%	0.0%	19.6%	0.0%	23.3%	0.0%	23.8%	0.0%
	Filipino	27.8%	0.0%	29.5%	0.0%	28.8%	0.0%	27.2%	0.0%
	Native Hawaiian	28.7%	0.0%	25.8%	0.0%	24.8%	0.0%	25.3%	0.0%
	Chinese	13.0%	0.0%	13.6%	0.0%	14.6%	0.0%	15.2%	0.0%
	Korean	3.8%	100.0%	3.7%	100.0%	4.1%	100.0%	4.2%	100.0%
	Indo-Chinese	0.1%	0.0%	0.2%	0.0%	0.3%	0.0%	0.1%	0.0%
	Vietnamese	1.2%	0.0%	1.2%	0.0%	1.3%	0.0%	0.9%	0.0%
	Samoan	4.5%	0.0%	4.2%	0.0%	2.9%	0.0%	2.9%	0.0%
	Portuguese	7.8%	0.0%	8.1%	0.0%	9.8%	0.0%	8.7%	0.0%
	Black	2.9%	0.0%	3.3%	0.0%	2.7%	0.0%	2.4%	0.0%
	Hispanic	3.6%	0.0%	5.7%	0.0%	6.6%	0.0%	5.9%	0.0%
	Indian/Alaska Native	2.5%	0.0%	2.3%	0.0%	3.0%	0.0%	2.2%	0.0%
	Other Asian	1.2%	0.0%	1.6%	0.0%	1.5%	0.0%	1.5%	0.0%
	Other Pacific Islander	2.4%	0.0%	2.9%	0.0%	3.1%	0.0%	3.9%	0.0%
5.	Family Structure								
	Mom & Dad	66.5%	68.0%	65.1%	67.7%	65.5%	73.6%	64.4%	70.1%
	Dad Remarried	1.4%	1.7%	1.7%	0.8%	1.7%	1.8%	2.1%	2.1%
	Mom Remarried	5.9%	3.9%	7.9%	5.5%	7.9%	3.6%	7.4%	5.2%
	Dad Only	4.5%	7.2%	3.9%	2.4%	4.4%	4.5%	4.4%	2.1%
	Mom Only	14.8%	14.9%	15.4%	18.1%	14.8%	8.2%	15.8%	13.4%
	Foster Parents	0.4%	1.1%	0.3%	0.0%	0.5%	0.9%	0.3%	1.0%
	Other	6.5%	3.3%	5.7%	5.5%	5.2%	7.3%	5.6%	6.2%

			<u>Grade</u> Korean	8th Gr State K		10th Gr State K		<u>12th C</u> State	<u>Grade</u> Korean
6.	School Days Missed In the Past 4 Weeks Because the	e Student	Skipped or	'Cut'					
	None	96.5%	98.8%	92.6%	91.8%	82.3%	93.4%	69.1%	68.1%
	1 day	2.4%	1.2%	3.7%	4.9%	7.7%	0.0%	13.1%	14.3%
	2 to 3 days	0.7%	0.0%	2.1%	3.3%	5.8%	2.8%	11.2%	14.3%
	4 to 5 days	0.2%	0.0%	0.8%	0.0%	2.5%	3.8%	4.1%	2.2%
	6 to 10 days	0.1%	0.0%	0.2%	0.0%	1.0%	0.0%	1.5%	1.1%
	11 or more days	0.1%	0.0%	0.5%	0.0%	0.8%	0.0%	1.0%	0.0%
7.	Typical Grades on Last Report Card								
	Mostly F's	1.2%	0.6%	1.5%	2.4%	2.4%	0.9%	0.7%	0.0%
	Mostly D's	3.2%	1.1%	5.4%	4.0%	5.4%	0.9%	3.8%	1.1%
	Mostly C's	19.5%	19.4%	21.1%	19.2%	23.6%	19.1%	19.6%	17.9%
	Mostly B's	42.0%	36.1%	34.8%	35.2%	37.3%	36.4%	36.8%	23.2%
	Mostly A's	34.1%	42.8%	37.2%	39.2%	31.2%	42.7%	39.1%	57.9%
8.	Aspirations to Graduate From a 4-Year College								
	Definitely won't	3.7%	2.3%	2.9%	1.6%	2.9%	0.9%	3.4%	0.0%
	Probably won't	12.3%	9.7%	11.3%	8.0%	9.1%	0.9%	10.9%	1.0%
	Probably will	47.5%	51.4%	42.7%	34.4%	39.0%	31.8%	33.8%	25.0%
	Definitely will	36.5%	36.6%	43.0%	56.0%	49.1%	66.4%	51.9%	74.0%
9.	Student Self-Report of Honesty								
	I was honest pretty much of the time	8.6%	10.2%	13.1%	12.5%	11.4%	13.9%	9.6%	13.2%
	I was very honest	91.4%	89.8%	86.9%	87.5%	88.6%	86.1%	90.4%	86.8%

Note: Students were excluded from analysis if they answered "I was not honest at all." Additionally, many students who answered "I was honest once in a while" were excluded from analyses because they showed signs of dishonesty on various aspects of the survey. Thus, most of the students in the report answered that they were honest.

## Alcohol, Tobacco, and Other Drug Use (ATOD Use)

## <u>Lifetime Prevalence Reports of ATOD Use</u>

Reported below are the percentage of students who have tried the particular substance at least once and is used to show the level of experimentation with a particular substance.

		<u>6th</u> State	<u>Grade</u> Korean	<u>8th G</u> State	<u>rade</u> Korean	<u>10th Gr</u> State K		<u>12th (</u> State	<u>Grade</u> Korean
1.	Ever Used Tobacco (cigarettes or chewing tobacco)	) 12.7%	8.5%	37.2%	34.7%	50.5%	40.4%	60.0%	55.7%
2.	Ever Used Cigarettes	12.2%		36.3%	33.6%	49.5%	40.0%	58.8%	55.1%
3.	Ever Used Chewing Tobacco	1.2%	1.1%	3.6%	1.6%	5.3%	4.2%	10.0%	10.3%
4.	Ever Smoked Cigarettes on a Regular Basis	2.1%	1.7%	11.8%	11.3%	19.3%	15.0%	25.6%	26.7%
5.	Ever Used Alcohol (beer/wine/liquor)	24.2%	25.6%	49.2%	46.8%	67.1%	60.6%	77.2%	74.2%
6.	Ever Used Beer or Wine (more than a few sips)	23.3%	25.1%	47.2%	46.0%	64.5%	56.6%	74.9%	73.0%
7.	Ever Used Hard Liquor	5.1%	5.7%	25.5%	22.8%	51.0%	39.4%	66.3%	68.5%
8.	Ever Been Drunk in Lifetime	2.9%	2.3%	17.3%	10.5%	37.5%	27.0%	53.0%	53.4%
9.	Ever Used Marijuana	2.3%	1.1%	15.9%	9.7%	33.1%	20.0%	45.8%	37.5%
10.	Ever Used Cocaine	0.4%	0.0%	2.1%	3.3%	3.5%	2.0%	5.8%	4.5%
11.	Ever Used Inhalants	5.3%	6.3%	9.9%	11.3%	7.0%	4.0%	5.7%	1.1%
12.	Ever Used Methamphetamine	0.4%	0.6%	2.3%	0.8%	4.5%	2.0%	5.8%	3.4%
13.	Ever Used Heroin or Other Opiates	0.2%	0.0%	1.2%	0.0%	1.3%	0.0%	1.7%	2.3%
14.	Ever Used Sedatives or Tranquilizers	0.4%	1.1%	1.8%	1.6%	3.2%	3.0%	3.8%	2.2%
15.	Ever Used Ecstasy/MDMA	0.1%	0.0%	2.0%	0.8%	5.3%	2.0%	8.4%	5.6%
16.	Ever Used Hallucinogens	0.4%	1.1%	2.9%	1.6%	6.4%	3.0%	9.9%	4.5%
17.	Ever Used Steroids	1.3%	0.6%	2.2%	0.0%	1.7%	1.0%	1.8%	0.0%
18.	Ever Used Diuretics	1.2%	0.6%	3.2%	4.9%	4.1%	3.0%	5.3%	6.7%

### 30-Day and Daily Prevalence Reports of ATOD Use

Use in the 30 days prior to taking the survey is a more sensitive indication of the level of current use of substances and gives an indication of whether adolescents are moving beyond experimentation and starting to use substances on a more regular basis. To determine if students have used alcohol, tobacco, and other drugs during the last month, students were asked to indicate how many days, if any, they used various drugs during the last 30 days. Responses ranged from "none" to "20 or more days." Monthly, or 30-day use, is indicated by a response of one or more days. Daily, or near-daily, use is indicated by a response of 20 or more days in the preceding 30 days. Reported below are the percentage of students who have used each of the drugs in the last 30 days. Daily use is reported for only tobacco, alcohol, and marijuana.

		6th Grade		8th Grade		10th Grade		12th (	<u>Grade</u>
		State	Korean	State	Korean	State Ko	orean	State	Korean
1.	30-Day Tobacco (cigarettes or chewing tobacco)	4.0%	0.6%	12.5%	12.0%	17.1%	14.1%	23.4%	24.7%
2.	30-Day Cigarettes	3.8%	0.6%	12.1%	12.0%	16.6%	14.1%	22.6%	24.7%
3.	30-Day Chewing Tobacco	0.5%	0.6%	1.5%	0.0%	1.4%	1.0%	2.0%	1.1%
4.	30-Day Alcohol (beer/wine/liquor)	9.1%	6.3%	22.1%	17.6%	32.4%	24.5%	43.2%	34.8%
5.	30-Day Beer or Wine (more than a few sips)	8.7%	5.7%	20.3%	17.6%	28.9%	21.2%	39.1%	32.6%
6.	30-Day Hard Liquor	3.1%	1.1%	14.8%	8.8%	26.7%	16.3%	35.5%	29.5%
7.	30-Day Marijuana	1.3%	0.6%	8.9%	5.6%	17.2%	5.1%	22.7%	14.8%
8.	30-Day Cocaine	0.4%	0.0%	1.2%	0.8%	1.3%	1.0%	1.5%	2.3%
9.	30-Day Inhalants	2.4%	1.7%	3.1%	4.8%	1.5%	1.0%	0.8%	1.1%
10.	30-Day Methamphetamine	0.3%	0.0%	1.1%	0.8%	1.6%	0.0%	1.6%	2.3%
11.	30-Day Heroin or Other Opiates	0.1%	0.0%	0.8%	0.0%	0.5%	0.0%	0.5%	2.3%
12.	30-Day Sedatives or Tranquilizers	0.2%	0.6%	1.0%	1.6%	1.2%	0.0%	1.6%	2.3%
13.	30-Day Ecstasy/MDMA	0.1%	0.0%	1.2%	0.0%	2.9%	3.0%	3.9%	4.5%
14.	30-Day Hallucinogens	0.3%	0.6%	1.4%	0.0%	2.2%	2.0%	2.0%	2.3%
15.	30-Day Steroids	0.8%	0.6%	1.3%	0.0%	1.0%	0.0%	0.9%	1.1%
16.	30-Day Diuretics	0.7%	0.6%	1.5%	3.2%	2.0%	2.0%	2.0%	2.3%
17.	Daily Tobacco	0.4%	0.0%	2.3%	0.8%	6.2%	5.1%	12.1%	14.6%
18.	Smoke 1/2 Pack + Per Day	0.4%	0.0%	1.9%	1.6%	3.1%	2.0%	5.9%	10.0%
19.	Daily Alcohol	0.7%	1.1%	1.6%	1.6%	2.3%	2.0%	3.5%	2.3%
20.	Daily Marijuana	0.2%	0.0%	1.5%	0.0%	3.4%	1.0%	4.6%	2.3%

## Substance Abuse (Treatment Needs)

Students responded to abuse and dependency questions for each of the following substances: alcohol, marijuana, stimulants (cocaine, methamphetamine, speed), depressants or downers (sedatives, heroin), and hallucinogens. The percentage of students who are dependent on or who abuse each of the substances is presented first. Next, a summary of alcohol and other drug treatment needs is presented. Total treatment needs may not add up to the sum of their parts because of rounding.

	6th Gr		8th Gra		<u>10th Gr</u>			<u>Grade</u>
	State K	orean	State K	orean	State Ko	rean	State	Korean
Alcohol Treatment Needs								
Alcohol dependent	0.8%	0.0%	4.4%	5.2%	10.7%	8.2%	17.0%	17.9%
Alcohol abuser	0.2%	0.6%	0.6%	0.0%	1.5%	1.1%	2.6%	1.2%
TOTAL	1.0%	0.6%	4.9%	5.2%	12.1%	9.3%	19.5%	19.0%
Marijuana Treatment Needs								
Marijuana dependent	0.4%	0.0%	3.4%	3.3%	9.8%	5.1%	13.5%	9.5%
Marijuana abuser	0.1%	0.0%	0.6%	0.9%	2.0%	0.0%	3.0%	1.3%
TOTAL	0.5%	0.0%	3.9%	4.1%	11.8%	5.1%	16.4%	10.7%
Stimulant Treatment Needs								
Stimulant dependent	0.1%	0.0%	0.7%	1.6%	1.4%	0.0%	1.8%	3.4%
Stimulant abuser	0.1%	0.0%	0.1%	0.0%	0.4%	1.2%	0.4%	0.0%
TOTAL	0.2%	0.0%	0.7%	1.6%	1.7%	1.0%	2.1%	3.4%
Depressant/Downers Treatment Needs								
Depressant/Downers dependent	0.1%	0.0%	0.6%	1.6%	0.8%	0.0%	0.6%	1.1%
Depressant/Downers abuser	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.3%	1.2%
TOTAL	0.2%	0.0%	0.7%	1.6%	0.9%	0.0%	0.9%	2.2%

	<u>6th Gr</u> State K	r <u>ade</u> Corean	8th Gra State K		<u>10th Gr</u> State K	r <u>ade</u> orean		<u>Grade</u> Korean
Hallucinogen Treatment Needs								
Hallucinogen dependent	0.1%	0.0%	0.7%	1.6%	1.3%	1.0%	1.2%	1.2%
Hallucinogen abuser	0.1%	0.0%	0.1%	0.0%	0.3%	1.1%	0.5%	0.0%
TOTAL	0.2%	0.0%	0.8%	1.6%	1.6%	2.1%	1.7%	1.2%
Total Treatment Needs								
Alcohol Abuse Only	0.8%	0.6%	2.5%	2.8%	4.2%	4.5%	7.7%	12.2%
Drug Abuse Only	0.3%	0.0%	2.0%	1.9%	4.8%	0.0%	5.0%	2.7%
Both Alcohol and Drug Abuse	0.3%	0.0%	3.1%	2.8%	9.4%	5.7%	14.3%	9.5%
TOTAL	1.4%	0.6%	7.6%	7.5%	18.4%	10.2%	27.0%	24.3%

## Antisocial Behaviors (ASBs)

Reported below are the percentage of students who report any involvement in the past year with the various antisocial behaviors listed. Also reported below are the percentage of students who report having at least one friend partaking in the various antisocial behaviors.

## Students' Own ASBs in the Past 12 Months

		6th Grade		8th Grade		10th Grade		12th Grade	
		State	Korean	State	Korean	State	Korean	State	Korean
1.	Been suspended from school?	4.7%	4.2%	9.9%	12.0%	8.1%	7.5%	6.9%	2.3%
2.	Been drunk or high at school?	1.6%	1.8%	9.4%	7.9%	17.8%	9.3%	19.9%	12.5%
3.	Sold illegal drugs?	0.6%	0.6%	4.2%	3.4%	7.2%	5.6%	8.7%	6.8%
4.	Stolen or tried to steal a vehicle?	0.8%	0.0%	2.7%	2.6%	3.3%	3.7%	2.1%	2.3%
5.	Been arrested?	1.4%	3.0%	5.2%	6.0%	5.5%	3.7%	4.9%	3.4%
6.	Attacked someone with intention to harm?	5.0%	3.6%	8.6%	5.3%	7.8%	3.7%	6.6%	3.4%
7.	Carried a handgun?	1.6%	1.2%	3.3%	3.4%	2.5%	1.9%	1.8%	2.3%
8.	Taken a handgun to school?	0.5%	0.0%	1.5%	0.9%	1.1%	0.9%	0.6%	2.3%

## Students Who Have At Least One Best Friend Who Has Engaged in the Following ASBs in the Past 12 Months

		6th Grade		8th Grade		10th Grade		12th Grade	
		State	Korean	State	Korean	State	Korean	State	Korean
1.	(Friend) Been suspended from school?	23.6%	18.9%	41.7%	38.8%	41.1%	37.0%	35.0%	24.7%
2.	(Friend) Dropped out of school?	6.6%	4.8%	13.5%	10.5%	23.7%	17.6%	27.9%	19.1%
3.	(Friend) Sold illegal drugs?	2.9%	0.6%	18.2%	10.3%	34.1%	27.8%	36.2%	23.6%
4.	(Friend) Stolen or tried to steal a vehicle?	3.2%	0.6%	11.0%	6.9%	16.4%	13.0%	13.0%	7.9%
5.	(Friend) Been arrested?	8.0%	7.1%	24.9%	22.4%	31.1%	25.9%	27.0%	12.5%
6.	(Friend) Been members of a gang?	10.0%	7.1%	20.6%	20.0%	19.5%	15.0%	15.2%	10.1%
7.	(Friend) Carried a handgun?	2.1%	0.0%	5.4%	2.6%	5.9%	4.6%	4.4%	2.2%

### Risk Factors

		<u>6th G</u>		8th Gr		<u>10th Gr</u>		<u>12th (</u>	
_		State Ko	orean	State k	Corean	State k	Corean	State	Korean
Con	nmunity Domain								
1.	Low Neighborhood Attachment	42.7%	56.9%	34.0%	40.5%	37.4%	53.6%	38.8%	50.5%
2.	Community Disorganization	42.8%	42.0%	49.3%	49.2%	41.2%	46.4%	40.1%	42.3%
3.	Transition & Mobility	49.5%	60.9%	35.4%	48.8%	41.8%	56.9%	43.0%	51.5%
4.	Exposure to Community ATOD Use	28.2%	30.1%	42.5%	41.2%	43.8%	39.4%	40.9%	36.8%
5.	Laws & Norms Favorable to Drug Use	40.2%	29.1%	46.1%	41.6%	44.0%	21.8%	43.2%	29.2%
6.	Perceived Availability of Drugs & Handguns	32.5%	37.1%	45.5%	50.9%	46.1%	46.4%	44.3%	37.9%
7.	Ability to Purchase Alcohol or Tobacco	1.8%	0.6%	7.1%	7.0%	15.3%	15.2%	32.9%	36.8%
Fam	nily Domain								
_	5 5 11 0 11		=0.00 <i>i</i>	.= .0.		=0.			
1.	Poor Family Supervision	48.0%	53.9%	45.4%	49.6%	41.7%	46.3%	49.6%	42.1%
2. 3.	Family Conflict Lack of Parental Sanctions for ATOD Use	40.6% 23.0%	40.7% 22.0%	48.2% 36.3%	44.2% 34.5%	39.0% 49.8%	32.4% 38.9%	36.4% 38.8%	35.8% 31.9%
3. 4.	Parental Attitudes Favorable Toward ATOD Use	10.2%	7.0%	30.3% 21.4%	34.5% 14.4%	49.8% 31.3%	38.9% 16.7%	43.7%	36.2%
5.	Exposure to Family ATOD Use	47.2%	54.5%	48.9%	49.1%	41.4%	31.7%	44.4%	42.5%
6.	Parental Attitudes Favorable Toward ASB	25.7%	27.9%	39.8%	41.0%	44.0%	36.1%	43.4%	44.7%
7.	Family (Sibling) History of ASB	29.2%	23.5%	44.7%	27.4%	45.2%	30.6%	43.8%	30.8%
<u>Sch</u>	ool Domain								
1.	Low School Commitment	40.3%	41.4%	48.4%	49.2%	47.1%	48.2%	48.8%	46.4%
2.	Poor Academic Performance	44.0%	42.0%	45.0%	44.0%	46.7%	41.8%	42.3%	30.2%
Pee	r-Individual Domain								
1.	Early Initiation of Problem Behaviors	33.5%	33.0%	41.5%	39.2%	43.1%	31.0%	45.0%	44.4%
2.	Favorable Attitudes Toward ATOD Use	10.3%	8.2%	32.8%	35.7%	45.0%	44.4%	46.3%	47.3%
3.	Low Perceived Risk of ATOD Use	39.1%	27.6%	47.3%	46.2%	43.7%	43.3%	46.9%	46.5%
4.	Antisocial Behaviors (ASBs)	10.1%	10.2%	21.2%	26.5%	27.0%	17.6%	27.9%	17.0%
5.	Favorable Attitudes Toward ASB	24.4%	27.5%	46.1%	53.9%	43.0%	42.6%	46.1%	44.6%
6.	Friends' ATOD Use	23.6%	16.0%	48.8%	40.5%	47.4%	38.0%	47.5%	36.0%
7.	Interaction with Antisocial Peers	28.1%	23.1%	48.3%	43.1%	44.1%	38.9%	43.2%	31.5%
8.	Friends' Rewards for Antisocial Involvement	43.2%	48.5%	44.6%	41.7%	43.9%	39.8%	40.8%	31.9%
9.	Rebelliousness	40.5%	35.4%	28.5%	21.7%	29.7%	30.3%	30.1%	21.1%
10.	Sensation Seeking	37.3%	35.0%	46.3%	41.5%	49.6%	38.5%	42.2%	23.4%
11. 12.	Gang Involvement	13.5% 42.6%	8.8% 35.4%	23.5% 48.1%	23.0% 51.7%	22.3% 48.6%	17.3% 48.6%	18.6% 43.4%	14.6% 55.8%
12.	Depression	42.0%	33.470	40.170	31.770	40.0%	40.070	43.4%	33.0%

## Risk Factor Index (Assessment of Risk Based on the Number of Risk Factors)

The accumulation of risk factors increases the probability of substance use or engagement in other problem behaviors. In the current study, students were twice as likely to be diagnosed as having a substance abuse problem if they had 18 or more risk factors. Over half of the students who were diagnosed with a substance abuse problem had 18 or more risk factors, and approximately a third of the students who were diagnosed with a substance abuse problem had 11 to 17 risk factors. In comparison, less than 10% of the students who were diagnosed with a substance abuse problem had 0 to 10 risk factors. Listed below are the percentages of students who have a low number of risk factors (0 to 10 risk factors), a moderate number of risk factors (11 to 17 risk factors), and a high number of risk factors (18 to 28 risk factors). Because of the high probability of having a substance abuse problem with even a moderate number of risk factors, students should be considered at great risk if they fall in either the moderate or high category.

	<u>6th Grade</u> State Korean	8th Grade State Korean	10th Grade State Korean S	<u>12th Grade</u> state Korean
Low Risk (0 to 10 risk factors)	67.2% 65.0%	6 52.6% 51.0	0% 49.1% 49.5	5% 48.7% 55.4%
Moderate Risk (11 to 17 risk factors)	24.6% 28.5%	6 29.8% 29.0	0% 30.8% 40.7	7% 31.7% 22.9%
High Risk (18 to 28 risk factors)	8.1% 6.6%	6 17.6% 20.0	0% 20.1% 9.9	9% 19.6% 21.7%

## **Protective Factors**

		6th C		8th Gr		10th Gr		12th G	<u>Grade</u>
State Korean State Korean State Korean State Korean State Korean Community Domain									
1. 2.	Community Opportunities for Positive Involvement Community Rewards for Positive Involvement	37.1% 46.0%	28.7% 35.8%	40.7% 43.0%	42.4% 34.7%	48.8% 47.5%	46.4% 31.8%	48.8% 44.7%	49.5% 33.3%
Family Domain									
1. 2. 3.	Family Attachment Family Opportunities for Positive Involvement Family Rewards for Positive Involvement	47.0% 40.5% 46.5%	41.8% 27.1% 35.4%	47.0% 36.4% 37.0%	45.8% 31.1% 36.9%	41.3% 28.3% 44.7%	29.6% 19.4% 39.4%	49.0% 28.7% 41.8%	46.3% 21.1% 31.6%
Sch	ool Domain								
1. 2.	School Opportunities for Positive Involvement School Rewards for Positive Involvement	46.9% 46.2%	35.8% 39.1%	45.7% 45.7%	34.1% 41.5%	48.5% 37.9%	36.1% 30.0%	31.9% 39.2%	28.1% 44.8%
Peer-Individual Domain									
1. 2. 3. 4.	Peer Disapproval of ATOD Use Religiosity Belief in Moral Order Educational Aspirations	67.7% 44.4% 50.7% 35.0%	71.7% 48.3% 52.2% 36.5%	46.7% 40.7% 49.0% 42.1%	47.7% 51.7% 54.5% 55.6%	48.2% 40.0% 41.5% 48.6%	58.7% 43.5% 45.9% 66.4%	48.8% 37.2% 40.0% 51.7%	58.6% 43.2% 43.2% 73.2%

## Protective Factor Index (Assessment of Protection Based on the Number of Protection Factors)

Similar to risk factors, the accumulation of protective factors increases the student's probability of being protected against the negative influence of risk factors. In the current study, 84% of the students diagnosed with a substance abuse problem had less than six protective factors. In comparison, 14% of the students diagnosed with a substance abuse problem had six to eight protective factors, and less than 2% of the students diagnosed with a substance abuse problem had 9 to 11 protective factors. Listed below are the percentages of students who have a low number of protective factors (0 to 5 protective factors), a moderate number of protective factors (6 to 8 protective factors), and a high number of protective factors (9 to 11 protective factors). Students with a low number of protective factors are at great risk for having or developing a serious substance abuse problem or for engaging in antisocial behaviors. On the other hand, students with a high number of protective factors are less likely to use substances or engage in antisocial behaviors.

	6th Grade		8th Grade		10th Grade		12th Grade	
	State	Korean	State	Korean	State k	Corean	State K	Corean
Low Protection (0 to 5 Protective factors)	55.6%	65.4%	60.6%	67.0%	62.2%	65.6%	63.6%	66.7%
Moderate Protection (6 to 8 Protective factors)	31.7%	26.1%	29.1%	22.6%	28.4%	22.2%	28.1%	27.6%
High Protection (9 to 11 Protective factors)	12.7%	8.5%	10.4%	10.4%	9.4%	12.2%	8.3%	5.7%

#### HOW CAN YOU USE THIS INFORMATION?

Data from the 2000 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study can be used to help your district and community planners select the prevention activities most likely to succeed in improving positive youth development in their community. Each risk and protective factor can be linked to specific types of interventions that have been shown to be effective in reducing the risks and enhancing the protections of youths in the community. The steps outlined below will help individuals in your community make decisions about the type of prevention programs that are needed to allow young people to develop healthy and productive lives.

## Determine What the Numbers in the Report are Telling You by Reviewing the Charts and Tables

- 1. Which levels of 30-day or daily drug use are unacceptably high?
- 2. Which levels of antisocial behaviors are unacceptably high?
- 3. Are treatment needs unacceptably high in your ethnic group?
- 4. Which three to four risk factors seem higher than you would want?
- 5. Which three to four protective factors seem lower than you would want?

Measure	Unacceptable Rate #1	Unacceptable Rate #2	Unacceptable Rate #3	Unacceptable Rate #4	
30-Day Drug Use					
Antisocial Behaviors					
Treatment Needs					
Risk Factors					
Protective Factors					

## How to Decide if Rate is Unacceptable

- 1. Compare your data to statewide and nationwide data. Statewide data can be found by going to ADAD's web page at <a href="http://www.state.hi.us/doh/resource/adad/adsurv.htm">http://www.state.hi.us/doh/resource/adad/adsurv.htm</a>. Nationwide prevalence rates can be found by going to the Monitoring the Future study web site at <a href="http://www.monitoringthefuture.org">http://www.monitoringthefuture.org</a>.
- 2. Look across the charts which items stand out as either much higher or much lower than the others?
- 3. Determine if the values held by students in your ethnic group are acceptable. For instance, if over 50% of the seniors report using marijuana in the past 30 days, is that something your community finds acceptable?

## Use These Data for Planning and Obtaining Funding

- 1. **Substance Use, Antisocial Behavior, and Treatment Needs**: Use the information provided in this report to raise awareness about the problems, promote dialogue, and argue for legislative, statewide, or federal funding/support.
- 2. **Risk and Protective Factors**: Use the information provided in this report to identify exactly where your district or community needs to take actions.
- 3. **Promising Approaches**: Investigate the resources listed on the last page of this report for ideas about programs that have been proven effective in targeting the risk and protective factors relevant to your district.

## **Monitoring Over Time**

Plan on helping to collect similar data to those contained in this report at least every two years, in order to monitor the effectiveness of your chosen strategy and to determine if any new efforts are needed.

### CONTACTS FOR TREATMENT AND PREVENTION

Alcohol & Drug Abuse Division - DOH

Phone: (808) 692-7506 www.hawaii.gov/hawaii

Office of Youth Services - DHS

Phone: (808) 587-5700

Safe & Drug-Free Schools and Communities – DOE

Phone: (808) 735-8228

Crime Prevention & Justice Assistance Division

Phone: (808) 586-1443

www.state.hi.us/aq/index.html

Kamehameha Native Hawaiian Safe & Drug-Free Schools & Communities Program

Phone: (808) 842-8524

www.ksbe.edu

Mothers Against Drunk Driving (MADD-Hawaii)

Phone: (808) 532-6232 www.maddhawaii.org

Coalition For A Drug Free Hawaii

Hawaii State RADAR Network Center

Phone: (808) 545-3228 Toll Free: 1-800-845-1946 www.drugfreehawaii.org

Alu Like Inc.

Phone: (808) 536-4494

www.alulike.org

City & County of Honolulu

230 South King Street Honolulu, HI 96813 Phone: (808) 523-4144 Hawaii County

25 Aupuni Street Hilo, HI 96720

Phone: (808) 961-8223

Kauai County

4444 Rice Street, Suite 235

Lihue, HI 96766

Phone: (808) 241-6240

Maui County

2331 W. Main St. Wailuku, HI 96793

Phone: (808) 249-2081

Substance Abuse and Mental Health Services Administration (SAMHSA)

Center for Substance Abuse Prevention & Center for Substance Abuse Treatment

www.samhsa.gov

Decision Support System for Substance Abuse Prevention (DSS)

www.preventiondss.org/html/contact.htm

National Clearinghouse for Alcohol and Drug Information (NCADI)

www.health.org

National Institute on Drug Abuse (NIDA)

www.nida.nih.gov

National Institute on Alcohol Abuse and Alcoholism (NIAAA)

www.niaaa.nih.gov

Join Together Online

Phone: (617) 437-9304 www.jointogether.org

#### References

- Brewer, D. D., Hawkins, J. D., Catalano, R. F., & Neckerman, H. J. (1995). Preventing serious, violent and chronic juvenile offending: A review of evaluations of selected strategies in childhood, adolescence, and the communication. In J. C. Howell, B. Krisberg, J. D. Hawkins, & J. J. Wilson (Eds.), *Sourcebook: Serious, violent, and chronic juvenile offenders* (pp. 61-141). Thousand Oaks, CA: Sage Publications.
- Hawkins, J. D., Arthur, M. W., & Catalano, R. F. (1995). Preventing substance abuse. In M. Tonry & D. Farmington (Eds.), *Building a safer society: Strategic approaches to crime prevention. Crime and justice series volume 19* (pp. 343-427). Chicago: Chicago University Press.
- Hawkins, J. D., Catalano, R. F., & Miller, J. Y. (1992). Risk and protective factors for alcohol and other drug problems in adolescence and early adulthood: Implications for substance abuse prevention. *Psychological Bulletin*, *112*, 64-105.
- Lipsey, M. W., & Derzon, J. H. (1998). Predictors of violent and serious delinquency in adolescence and early adulthood: A synthesis of longitudinal research. In R. Loeber & D. P. Farrington (Eds.), *Serious and violent juvenile offenders: Risk factors and successful interventions* (pp. 86-105). Thousand Oaks, CA: Sage Publications.